

We declare that the product/s **KEBAB BOXES KRAFT**

**Confirmation that the plastic materials or articles, products come from intermediate stages of manufacture or the substances and meet relevant requirements of EC Regulations and Directives (EC 10/2011 and EC 1935/2004):**



**fully comply with**

- Regulation (EC) No. 1935/2004 concerning materials and articles intended to come into contact with food,
- Commission Regulation (EC) No.2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food,
- Commission Regulation (EU) No. 10/2011 on plastic materials and articles intended to come into contact with food and its amendments: 321/2011, 1282/2011, 1183/2012, 202/2014, 865/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2019/1338, 2020/1245,
- Directive 94/62 on packaging and packaging waste and its amendments,

- BfR Recommendation XXXVI, Paper and board (2019),
  - EuPia guidelines on Printing Inks (2011),
6. **Adequate information relative to the substances used or products of degradation thereof for which restrictions and/or specifications are set out in Annexes I and II of Regulation 10/2011 to allow the downstream business operators to ensure compliance with those restrictions:**

#### **Paperboard**

For the purpose to achieve high chemical and microbiological purity only virgin fibers and food contact approved chemical additives are used as raw material in the production of paperboard. The pulp and paper manufacturing process conforms to established technology involving the use of generally recognized chemicals.

All chemical additives used as raw materials for the paperboard are mentioned where applicable in the following regulations. Information below is based on the written confirmation of our suppliers and analysis performed on the paperboard.

The **paperboard** complies where applicable and under foreseeable conditions of use with:

- Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food
- Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food
- Directive 94/62 on packaging and packaging waste and its amendments
- BfR Recommendation XXXVI, Paper and board (2019)

#### **Inks**

Printing Inks applied to the non-food contact surface of food packaging materials and articles.

Inks meets the requirements of:

- Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food,
- Regulation (EC) 2023/2006 on good manufacturing practice for materials and articles intended for food contact and subsequent regulation amending (EC) 282/2008,
- Directive 94/62 / EC of the European Parliament and of the Council on packaging and packaging waste and subsequent amending directives.
- EuPIA Guideline on Printing Inks applied to the non-food contact surface of food packaging materials and articles

#### **Plastic layer**

The **substances used in the extrusion coating** comply where applicable and under foreseeable conditions of use with:

- Regulation (EC) No 1935/2004 on materials on materials and articles intended to come into contact with food
- Commission Regulation (EU) No. 10/2011 on plastic materials and articles intended to come into contact with food and its amendments: 321/2011, 1282/2011, 1183/2012, 202/2014, 865/2014, 2015/174, 2016/1416, 2017/752, 2018/79, 2018/213, 2018/831, 2019/37, 2019/988, 2019/1338, 2020/1245,
- Regulation (EC) No 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food
- Directive 94/62 / EC of the European Parliament and of the Council on packaging and packaging waste and subsequent amending directives

#### **Overall migration – plastic layer**

The overall migration tests have been performed on representative samples of the plastic layer of extrusion coated paperboard with the following results:

Simulant	Contact time	Temperature (°C)	Results (mg/dm <sup>2</sup> )
A	10 days	40 °C	< 10
B	10 days	40 °C	< 10
D2	10 days	40 °C	< 10

#### **SML plastic layer**

Substances used in the board extrusion coating contain specific migration limit (SML) according to Commission Regulation (EU) 10/2011.

The concentration of heavy metals: lead, cadmium, mercury and chromium (VI) compounds in the above-mentioned material does not exceed the specific migration limit.

The product meets the requirements for the content of primary aromatic amines and elements in accordance with the amendment EU 2020/1245.

- 7. Adequate information relative to the substances which are subject to a restriction in food, obtained by experimental data or theoretical calculation about the level of their specific migration and, where appropriate, purity criteria in accordance with Directives 2008/60/EC, 95/45/EC and 2008/84/EC to enable the user of these materials or articles to comply with the relevant EU provisions or, in their absence, with national provisions applicable to food:**

#### **Dual use additives plastic layer**

The substances used in the coating plastic does not contain any dual use additives.

- 8. Specifications on the use of the material or article, such as:**

- a) type or types of food with which it is intended to be put in contact:**

Kebab box can be used as a disposable container for all kinds of food. For technological reasons, it is not recommended to use packaging for liquid products.

- a) time and temperature of treatment and storage in contact with the food:**

Any contact conditions that include heating up to 70 °C for up to 2 hours, or up to 100 °C for up to 15 minutes, which are not followed by long term room or refrigerated temperature storage.

- 9. When a functional barrier is used in a multi-layer material or article, the confirmation that the material or article complies with the requirements of Article 13(2), (3) and (4) or Article 14(2) and (3) of Regulation 10/2011:**

Not applicable

Kebab box should be stored in a plastic bag protecting against dirt, away from devices that emit heat in a dry place, sheltered from the weather and direct sunlight at a temperature of 5 to 35 °C and maximum humidity of 70%. Optimal expiration date one year from the date of manufacture.

The declaration was issued on the basis of research results, and based on declarations of producers of raw materials and materials used for film production

**This declaration will be updated when the composition or the manufacturing process will occur significant changes entailing changes in the migration from the materials or articles or when new data becomes available scientific evidence.**